

APPENDIX AIR

AIR QUALITY TABLES

Alternative A- B	364586 total square feet of space to be constructed	
Area of Disturbance	56.57 acres	
Total Duration	18 months	
Workdays/week	5 days/week	
Construction Emissions		
<i>Site Preparation and Grading</i>	6 Months	Year 2024
Workdays Total	105 (from Assumptions under each alternative emissions table)	
Work hours/day	8 hours/day	
Bulldozers	4 #	
Motor Grader	1 #	
Excavator	2 #	
Scraper	2 #	
Tractor/Loader/Backhoe	4 #	
Water Truck	2 #	
Other Construction Equip	3 #	
Employee Miles	25 Miles/roundtrip	
<i>Construction, Paving, and Architectural Coating</i>	12 Months	Year 2024
Workdays Total	290 (from Assumptions under each alternative emissions table)	
Work hours/day	8 hours/day	
Concrete/Industrial Saw	2 #	
Crane	2 #	
Rough Terrain Forklift	6 #	
Rubber Tire Dozer	2 #	
Tractors/Loader/Backhoe	6 #	
Other Construction Equip	2 #	
Air Compressor	2 #	
Aerial Lift	2 #	
Employee Miles	25 Miles/roundtrip	
Paver	2 #	
Paving Equipment	2 #	
Rollers	2 #	
<i>Fugitive Dust</i>		
Area of Disturbance	20.45 acres	
On-site Cut/Fill	0 cubic yards	
Off-site Cut/Fill	40502 cubic yards	
Operational - Mobile Emissions		
Total VMT Per Year	161,917,650 miles/yr	(obtain from traffic consultant or enter "o" and calculate using worksheet)
Vehicle Starts Per year	5,223,150 starts/yr	(obtain from traffic consultant or enter "o" and calculate using worksheet)
Emission Factors	From moves, see sheet "Mobile Emission Factors"	
Operational - Stationary Sources		
Casino	85.1 MMBtu/ft2 (Other from Entertainment/Public Assembly , EIA)	
Multi-Purpose and/or Rest.	Yes If "Yes", use Higher Energy Intensity Use Rate	
Hotel	81 From Chumash Energy Study	
Casino SF	95003	
Hotel SF	188734 (added the travel plaza to the hotel square footage to capture NG emissions)	
Other	0 MMBtu/ft2	
Other SF	80849	
Operational - Generator		
Number of Generators	1 #	
Fuel	Diesel (assume diesel unless NG is specifically addressed in the project description)	
Output	2000 kW	
Hours of Operation	30 hours per yr	
EPA Tier	2 (assume 2 until Tier 3 becomes required)	
Operational - Energy, Solid Waste, Water&Wastewater		
Energy	Calculated Automatically From Stationary Sources	
Solid Waste	Metric Tons/Year (convert to metric tons by multiplying tons by 0.907185)	
Water Use	42.111875 Million Gallons per Year	
Wastewater Generation	41.30413 Million Gallons per Year	
USEPA eGRID Emission Factor CO2	1000.053 lb CO2/MW Hr	
USEPA eGRID Emission Factor CH4	0.087 lb CH4/MW Hr	
USEPA eGRID Emission Factor N2O	0.012 lb N2O/MW Hr	
eGRID Emission Factors:		
https://www.epa.gov/egrid/download-data		

Alternative B-Reduced Int.	256223 total square feet of space to be constructed	
Area of Disturbance	42.11	acres
Total Duration	18	months
Workdays/week	5	days/week
Construction Emissions		
<i>Site Preparation and Grading</i>	18 Months	(April through December) - Default Year 2024
Workdays Total	105	(from Assumptions under each alternative emissions table)
Work hours/day	8	hours/day
Bulldozers	4	#
Motor Grader	1	#
Excavator	2	#
Scraper	2	#
Tractor/Loader/Backhoe	4	#
Water Truck	2	#
Other Construction Equip	3	#
Employee Miles	25	Miles/roundtrip
<i>Construction, Paving, and Architectural Coating</i>	12 Months	Year 2024
Workdays Total	290	(from Assumptions under each alternative emissions table)
Work hours/day	8	hours/day
Concrete/Industrial Saw	2	#
Crane	2	#
Rough Terrain Forklift	6	#
Rubber Tire Dozer	2	#
Tractors/Loader/Backhoe	6	#
Other Construction Equip	2	#
Air Compressor	2	#
Aerial Lift	2	#
Employee Miles	25	Miles/roundtrip
Paver	2	#
Paving Equipment	2	#
Rollers	2	#
<i>Fugitive Dust</i>		
Area of Disturbance	20.45	acres
On-site Cut/Fill	0	cubic yards
Off-site Cut/Fill	59328	cubic yards
Operational - Mobile Emissions		
Total VMT Per Year	66,928,225	miles/yr (obtain from traffic consultant or enter "o" and calculate using worksheet)
Vehicle Starts Per year	2,158,975	starts/yr (obtain from traffic consultant or enter "o" and calculate using worksheet)
Emission Factors	From moves, see sheet "Mobile Emission Factors"	
Operational - Stationary Sources		
Casino	85.1	MMBtu/ft2 (Other from Entertainment/Public Assembly , EIA)
Multi-Purpose and/or Rest.	Yes	If "Yes", use Higher Energy Intensity Use Rate
Hotel	81	From Chumash Energy Study
Casino SF	47501	
Hotel SF	188734	
Other	0	MMBtu/ft2
Other SF	19988	
Operational - Generator		
Number of Generators	1	#
Fuel	Diesel	(assume diesel unless NG is specifically addressed in the project description)
Output	2000	kW
Hours of Operation	30	hours per yr
EPA Tier	2	(assume 2 until Tier 3 becomes required)
Operational - Energy, Solid Waste, Water&Wastewater		
Energy	Calculated Automatically From Stationary Sources	
Solid Waste		Metric Tons/Year (convert to metric tons by multiplying tons by 0.907185)
Water Use	27.38079414	Million Gallons per Year Used the same ratio of water to wastewater as Alt A
Wastewater Generation	26.855605	Million Gallons per Year
USEPA eGRID Emission Factor CO2	1000.053	lb CO2/MW Hr
USEPA eGRID Emission Factor CH4	0.087	lb CH4/MW Hr
USEPA eGRID Emission Factor N2O	0.012	lb N2O/MW Hr
eGRID Emission Factors:		
https://www.epa.gov/egrid/download-data		

Alternative C-Reduced No Casino	324985 total square feet of space to be constructed	
Area of Disturbance	42.11 acres	
Total Duration	18 months	
Workdays/week	5 days/week	
Construction Emissions		
<i>Site Preparation and Grading</i>	18 Months (April through December) - Default	Year 2024
Workdays Total	105 (from Assumptions under each alternative emissions table)	
Work hours/day	8 hours/day	
Bulldozers	4 #	
Motor Grader	1 #	
Excavator	2 #	
Scraper	2 #	
Tractor/Loader/Backhoe	4 #	
Water Truck	2 #	
Other Construction Equip	3 #	
Employee Miles	25 Miles/roundtrip	
<i>Construction, Paving, and Architectural Coating</i>	12 Months	Year 2024
Workdays Total	290 (from Assumptions under each alternative emissions table)	
Work hours/day	8 hours/day	
Concrete/Industrial Saw	2 #	
Crane	2 #	
Rough Terrain Forklift	6 #	
Rubber Tire Dozer	2 #	
Tractors/Loader/Backhoe	6 #	
Other Construction Equip	2 #	
Air Compressor	2 #	
Aerial Lift	2 #	
Employee Miles	25 Miles/roundtrip	
Paver	2 #	
Paving Equipment	2 #	
Rollers	2 #	
<i>Fugitive Dust</i>		
Area of Disturbance	20.45 acres	
On-site Cut/Fill	0 cubic yards	
Off-site Cut/Fill	25021 cubic yards	
Operational - Mobile Emissions		
Total VMT Per Year	141,647 miles/yr (obtain from traffic consultant or enter "o" and calculate using worksheet)	
Vehicle Starts Per year	658,825 starts/yr (obtain from traffic consultant or enter "o" and calculate using worksheet)	
Emission Factors	From moves, see sheet "Mobile Emission Factors"	
Operational - Stationary Sources		
Casino	85.1 MMBtu/ft2 (Other from Entertainment/Public Assembly, EIA)	
Multi-Purpose and/or Rest.	Yes If "Yes", use Higher Energy Intensity Use Rate	
Hotel	81 From Chumash Energy Study	
Casino SF	0	
Hotel SF	188734	
Other	0 MMBtu/ft2	
Other SF	136251	
Operational - Generator		
Number of Generators	1 #	
Fuel	Diesel (assume diesel unless NG is specifically addressed in the project description)	
Output	2000 kW	
Hours of Operation	30 hours per yr	
EPA Tier	2 (assume 2 until Tier 3 becomes required)	
Operational - Energy, Solid Waste, Water&Wastewater		
Energy	Calculated Automatically From Stationary Sources	
Solid Waste	Metric Tons/Year (convert to metric tons by multiplying tons by 0.907185)	
Water Use	31.964789 Million Gallons per Year	Used the same ratio of water to wastewater as Alt A
Wastewater Generation	31.351675 Million Gallons per Year	
USEPA eGRID Emission Factor CO2	1000.053 lb CO2/MW Hr	
USEPA eGRID Emission Factor CH4	0.087 lb CH4/MW Hr	
USEPA eGRID Emission Factor N2O	0.012 lb N2O/MW Hr	
eGRID Emission Factors: https://www.epa.gov/egrid/download-data		

Table A-Construction Emissions

Construction Emissions – Alternatives A¹

Construction Year	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
2024	3.36	4.74	14.06	0.01	0.30	0.28
Maximum Year Emissions	3.36	4.74	14.06	0.01	0.30	0.28
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to **Section 3.4**).

Source: EPA, MOVES, 2023; AP-42, 1995.

See note above regarding MOVES version

Table A-Operational Emissions

Operation Emissions - Alternatives A

Sources	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
Stationary	0.08	0.41	0.36	0.09	0.08	0.04
Mobile	31.42	35.27	295.86	0.20	7.35	1.82
Total Emissions	31.42	35.27	295.86	0.20	7.35	1.82
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to **Section 3.4**).

Source: EPA, MOVES, 2023; AP-42, 1995.

Table A - Cumulative GHG

Alternative A : PROJECT-RELATED GHG EMISSIONS

Sources	GHGs	CO ₂ e Emissions (ST)	Conversion Factor (ST/MT)	GHG Emissions in CO ₂ e (MT per year)
Direct				
Amortized Construction	CO ₂ e	3464.58	0.91	157.6
Area	CO ₂ e	1,286.83		1,287
Subtotal				1,444
Indirect				
Mobile	CO ₂ e	42,347	0.91	38,535
Electricity Usage	CO ₂ e			2105.94
Water Conveyance/ Wastewater Treatment	CO ₂ e			18.31
Solid Waste Disposal	CO ₂ e			87.26
Subtotal				40,747
Total Project-Related GHG Emissions				42,191

3152.76863

Table B-Construction Emissions

Construction Emissions – Alternative B¹

Construction Year	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
2024	2.58	4.64	13.68	0.01	0.30	0.27
Maximum Year Emissions	2.58	4.64	13.68	0.01	0.30	0.27
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to Section 3.4).

Source: EPA, MOVES, 2023; AP-42, 1995.

See note above regarding MOVES version

Table B-Operational Emissions

Operation Emissions - Alternative B

Sources	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
Stationary	0.07	0.41	0.32	0.09	0.06	0.03
Mobile	12.99	14.58	122.29	0.08	3.04	0.75
Total Emissions	12.99	14.58	122.29	0.09	3.04	0.75
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to Section 3.4).

Source: EPA, MOVES, 2023; AP-42, 1995.

Table B - Cumulative GHG

Alternative B: PROJECT-RELATED GHG EMISSIONS

Sources	GHGs	CO ₂ e Emissions (ST)	Conversion Factor (ST/MT)	GHG Emissions in CO ₂ e (MT per year)
Direct				
Amortized Construction	CO ₂ e	3397.34	0.91	154.6
Area	CO ₂ e	915.73		916
Subtotal				1,070
Indirect				
Mobile	CO ₂ e	17,504	0.91	15,929
Electricity Usage	CO ₂ e			1475.98
Water Conveyance/ Wastewater Treatment	CO ₂ e			11.90
Solid Waste Disposal	CO ₂ e			59.90
Subtotal				17,476
Total Project-Related GHG Emissions				18,547

3091.583103

Table C-Construction Emissions

Construction Emissions – Alternative C¹

Construction Year	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
2024	3.05	4.46	13.72	0.01	0.29	0.26
Maximum Year Emissions	3.05	4.46	13.72	0.01	0.29	0.26
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to Section 3.4).

Source: EPA, MOVES, 2023; AP-42, 1995.

See note above regarding MOVES version

Table C-Operational Emissions

Operation Emissions - Alternative C

Sources	Criteria Pollutants					
	VOC	NOx	CO	SOx	PM ₁₀	PM _{2.5}
	tons per year					
Stationary	0.07	0.41	0.32	0.09	0.06	0.03
Mobile	0.03	0.03	0.26	0.00	0.01	0.00
Total Emissions	0.07	0.41	0.32	0.09	0.06	0.03
<i>De Minimis Level</i>	<i>N/A</i>	<i>100</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>

Notes: N/A = Not Applicable; de minimis levels are not applicable due to attainment status (Refer to Section 3.4).

Source: EPA, MOVES, 2023; AP-42, 1995.

Table C - Cumulative GHG

Alternative C: PROJECT-RELATED GHG EMISSIONS

Sources	GHGs	CO ₂ e Emissions (ST)	Conversion Factor (ST/MT)	GHG Emissions in CO ₂ e (MT per year)
Direct				
Amortized Construction	CO ₂ e	3203.62	0.91	145.8
Area	CO ₂ e	962.58		963
Subtotal				1,108
Indirect				
Mobile	CO ₂ e	37	0.91	34
Electricity Usage	CO ₂ e			1555.51
Water Conveyance/ Wastewater Treatment	CO ₂ e			13.89
Solid Waste Disposal	CO ₂ e			35.12
Subtotal				1,638
Total Project-Related GHG Emissions				2,747

2915.2963

Table A
Alternative A - Proposed Casino Construction Emissions

Construction Equipment ¹	Horsepower ²	Load Factor ²	Hours in Use ³ (hours/day)	Emission Factors (g/bhp/hr) or g/mile ⁵							Emission (tons/year)							
				CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5}	CO ₂	CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5}	CO ₂	
Year 2024 Site Grading																		
4 Bulldozer	367	0.4	8	0.20	0.03	0.59	0.00	0.03	0.03	536.74	0.13	0.02	0.38	0.00	0.02	0.02	0.00	347.11
1 Motor Grader	148	0.41	8	0.11	0.02	0.38	0.00	0.03	0.03	536.78	0.01	0.00	0.03	0.00	0.00	0.00	0.00	35.87
2 Excavator	360	0.38	8	0.15	0.03	0.42	0.00	0.03	0.03	536.76	0.05	0.01	0.13	0.00	0.01	0.01	0.01	161.74
2 Scraper	423	0.48	8	0.21	0.03	0.60	0.00	0.03	0.03	536.74	0.09	0.01	0.27	0.00	0.02	0.01	0.01	240.04
4 Tractor/Loader/Backhoe	84	0.37	8	5.87	0.34	1.51	0.00	0.14	0.13	648.48	0.80	0.05	0.21	0.00	0.02	0.02	0.02	88.79
2 Water Truck	420	0.59	8	0.05	0.01	0.19	0.00	0.01	0.01	536.79	0.03	0.01	0.10	0.00	0.01	0.01	0.01	292.99
3 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	536.71	0.08	0.02	0.27	0.00	0.02	0.02	0.02	244.82
Employee Trips (miles) ⁴	47,250			1.52	0.12	0.16	0.00	0.02	0.01	163.35	0.08	0.01	0.01	0.00	0.00	0.00	0.00	8.51
Vendor Trips	0			0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Trips	50,628			0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.03	0.00	0.04	0.00	0.00	0.00	0.00	19.63
Fugitive Dust from other worksheet															5.53	0.55		
Total 2024 Site Grading Emissions											1.30	0.12	1.43	0.00	5.62	0.64		1439.49
Year 2024 Construction																		
2 Concrete/Industrial Saw	81	0.59	8	0.63	0.06	1.51	0.00	0.10	0.10	595.98	0.15	0.02	0.37	0.00	0.02	0.02	0.02	145.55
2 Crane	238	0.43	8	0.10	0.03	0.42	0.00	0.02	0.02	530.96	0.05	0.01	0.22	0.00	0.01	0.01	0.01	277.68
6 Rough Terrain Forklift	86	0.59	8	9.29	0.40	1.29	0.00	0.06	0.06	626.24	7.23	0.31	1.00	0.00	0.05	0.05	0.05	487.13
2 Rubber Tire Loader	136	0.59	8	5.26	0.24	0.98	0.00	0.06	0.06	595.72	2.16	0.10	0.40	0.00	0.02	0.02	0.02	244.27
6 Tractors/Loader/Backhoe	87	0.21	8	5.87	0.34	1.51	0.00	0.14	0.13	648.48	1.65	0.10	0.42	0.00	0.04	0.04	0.04	181.63
2 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	536.71	0.13	0.03	0.42	0.00	0.03	0.03	0.02	378.65
Employee Trips (miles) ⁴	676,672			1.52	0.12	0.16	0.00	0.02	0.01	163.35	1.13	0.09	0.12	0.00	0.01	0.01	0.01	121.84
Vendor Trips	346,583			0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.18	0.00	0.27	0.00	0.02	0.01	0.01	134.39
Paving⁵																		
2 Paver	135	0.59	8	0.15	0.02	0.51	0.00	0.04	0.04	536.76	0.00	0.00	0.01	0.00	0.00	0.00	0.00	15.07
2 Paving Equipment	131	0.59	8	0.24	0.05	0.87	0.00	0.06	0.06	536.70	0.01	0.00	0.02	0.00	0.00	0.00	0.00	14.62
2 Rollers	132	0.59	8	0.18	0.03	0.65	0.00	0.05	0.04	536.75	0.00	0.00	0.02	0.00	0.00	0.00	0.00	14.73
Asphalt Emissions																		
Employee Trips (miles) ⁴	3000			1.52	0.12	0.16	0.00	0.02	0.01	163.35	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.54
Architectural Coating⁶																		
2 Air Compressor	37	0.48	8	5.32	0.27	1.62	0.00	0.05	0.05	613.49	0.03	0.00	0.01	0.00	0.00	0.00	0.00	3.84
2 Aerial Lift	46	0.31	8	2.51	0.66	3.75	0.00	0.39	0.37	694.06	0.01	0.00	0.02	0.00	0.00	0.00	0.00	3.49
Coating																		
Employee Trips (miles) ⁴	9,333			1.52	0.12	0.16	0.0008	0.01935	0.00821	163.35	0.02	0.00	0.00	0.00	0.00	0.00	0.00	1.68
Total 2024 Construction Emissions											14.06	3.36	4.74	0.01	0.30	0.28		3464.58

Source: EPA 2023

¹ Construction equipment list adapted from CalEEMod Users Guide

² EPA Report No. NR-005d Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling, 2010

³ Hours per normal work day.

⁴ Based on 20 mile trip length. Emissions from MOVES4.

⁵ Emission factors provided by EPA MOVES 4 NONROAD

⁶ Based on 150 grams per liter VOC emission factor and

364586 sqft of total area of building space to be constructed.

Assumptions	Construction Timeline: 18 Months 5 days/week	To calculate, go to: http://www.timeanddate.com/date/weekdayadd.html?d1=12&m1=9&y1=2013&type=add&ad=50
	2024 Workdays: Assumes that grading commences 1/1/2024 5/30/2024	
		125 days
	2024 Workdays: Assumes 12 months to complete construction after grading is completed. 5/31/2024 8/1/2025	
		290 days

	Grading	Build	Pave	Coating	Hauling	Vendor
Days	105	290	20	20		290
Trips	22.5	116.7	7.5	23.3	2531.4	59.8
Employee	47,250	676,672	3,000	9,333	50,628	346,583
Total VMT						

Table B
 Alternatives B - Reduced Intensity Construction Emissions

Construction Equipment ¹	Horsepower ²	Load Factor ²	Hours in Use ² (hours/day)	Emission Factors (g/bhp/hr) ⁴							Emission (tons/year)							
				CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5} ³	CO ₂	CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5} ³	CO ₂	
Year 2024 Site Grading																		
4 Bulldozer	367	0.4	8	0.20	0.03	0.59	0.00	0.03	0.03	0.03	536.74	0.13	0.02	0.38	0.00	0.02	0.02	347.11
1 Motor Grader	148	0.41	8	0.11	0.02	0.38	0.00	0.03	0.03	0.03	536.78	0.01	0.00	0.03	0.00	0.00	0.00	35.87
2 Excavator	360	0.38	8	0.15	0.03	0.42	0.00	0.03	0.03	0.03	536.76	0.05	0.01	0.13	0.00	0.01	0.01	161.74
2 Scraper	423	0.48	8	0.21	0.03	0.60	0.00	0.03	0.03	0.03	536.74	0.09	0.01	0.27	0.00	0.02	0.01	240.04
4 Tractor/Loader/Backhoe	84	0.37	8	5.87	0.34	1.51	0.00	0.14	0.13	0.13	648.48	0.80	0.05	0.21	0.00	0.02	0.02	88.79
2 Water Truck	420	0.59	8	0.05	0.01	0.19	0.00	0.01	0.01	0.01	536.79	0.03	0.01	0.10	0.00	0.01	0.01	292.99
3 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	0.04	536.71	0.08	0.02	0.27	0.00	0.02	0.02	244.82
Employee Trips (miles) ⁴	47,250			1.52	0.12	0.16	0.00	0.02	0.01	0.01	163.35	0.08	0.01	0.01	0.00	0.00	0.00	8.51
Vendor Trips				0.47	0.01	0.70	0.00	0.04	0.02	0.02	351.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Trips	74160			0.47	0.01	0.70	0.00	0.04	0.02	0.02	351.76	0.04	0.00	0.06	0.00	0.00	0.00	28.76
Fugitive Dust from other worksheet															5.50	0.55		
Total 2024 Site Grading Emissions												1.31	0.12	1.45	0.00	5.59	0.64	1448.61
Year 2024 Construction																		
2 Concrete/Industrial Saw	81	0.59	8	0.63	0.06	1.51	0.00	0.10	0.10	0.10	595.98	0.15	0.02	0.37	0.00	0.02	0.02	145.55
2 Crane	238	0.43	8	0.10	0.03	0.42	0.00	0.02	0.02	0.02	530.96	0.05	0.01	0.22	0.00	0.01	0.01	277.68
6 Rough Terrain Forklift	86	0.59	8	9.29	0.40	1.29	0.00	0.06	0.06	0.06	626.24	7.23	0.31	1.00	0.00	0.05	0.05	487.13
2 Rubber Tire Loader	136	0.59	8	5.26	0.24	0.98	0.00	0.06	0.06	0.06	595.72	2.16	0.10	0.40	0.00	0.02	0.02	244.27
6 Tractors/Loader/Backhoe	87	0.21	8	5.87	0.34	1.51	0.00	0.14	0.13	0.13	648.48	1.65	0.10	0.42	0.00	0.04	0.04	181.63
2 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	0.04	536.71	0.13	0.03	0.42	0.00	0.03	0.02	378.65
Employee Trips (miles) ⁴	475,550			1.52	0.12	0.16	0.00	0.02	0.01	0.01	163.35	0.80	0.06	0.08	0.00	0.01	0.00	85.63
Vendor Trips	243570.7083			0.47	0.01	0.70	0.00	0.04	0.02	0.02	351.76	0.13	0.00	0.19	0.00	0.01	0.01	94.44
Paving⁵																		
2 Paver	135	0.59	8	0.15	0.02	0.51	0.00	0.04	0.04	0.04	536.76	0.00	0.00	0.01	0.00	0.00	0.00	15.07
2 Paving Equipment	131	0.59	8	0.24	0.05	0.87	0.00	0.06	0.06	0.06	536.70	0.01	0.00	0.02	0.00	0.00	0.00	14.62
2 Rollers	132	0.59	8	0.18	0.03	0.65	0.00	0.05	0.04	0.04	536.75	0.00	0.00	0.02	0.00	0.00	0.00	14.73
Asphalt Emissions																		
Employee Trips (miles) ⁴	3000			1.52	0.12	0.16	0.00	0.02	0.01	0.01	163.35	0.01	0.00	0.00	0.00	0.00	0.00	0.54
Architectural Coating⁶																		
2 Air Compressor	37	0.48	8	5.32	0.27	1.62	0.00	0.05	0.05	0.05	613.49	0.03	0.00	0.01	0.00	0.00	0.00	3.84
2 Aerial Lift	46	0.31	8	2.51	0.66	3.75	0.00	0.39	0.37	0.37	694.06	0.01	0.00	0.02	0.00	0.00	0.00	3.49
Coating																		
Employee Trips (miles) ⁴	8199.136			1.52	0.12	0.16	0.0008	0.01935	0.00821	0.00821	163.35	0.01	0.00	0.00	0.00	0.00	0.00	1.48
Total 2024 Construction Emissions												13.68	2.58	4.64	0.01	0.30	0.27	3397.34

Source: EPA 2023

¹ Construction equipment list adapted from CalEEMod Users Guide

² EPA Report No. NR-005d Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling, 2010

³ Hours per normal work day.

⁴ Based on 20 mile trip length. Emissions from MOVES4.

⁵ Emission factors provided by EPA MOVES 4 NONROAD

⁶ Based on 150 grams per liter VOC emission factor and

256223 sqft of total area of building space to be constructed.

Assumptions	Construction Timeline: 18 Months 5 days/week	To calculate, go to: http://www.timeanddate.com/date/weekdayadd.html?d1=12&m1=9&y1=2013&type=add&ad=50
	2024 Workdays: Assumes that grading commences 1/1/2024 5/30/2024	
		125 days
	2024 Workdays: Assumes 12 months to complete construction after grading is completed. 5/31/2024 8/1/2025	
		290 days

	Grading	Build	Pave	Coating	Hauling	Vendor
Days	105	290	20	20		290
Trips	22.5	82.0	7.5	20.5	3708.0	42.0
Employee	47,250	475,550	3,000	8,199	74,160	243,571
Total VMT						

Table C
 Alternatives C - Reduced Intensity No Casino Construction Emissions

Construction Equipment ¹	Horsepower ²	Load Factor ²	Hours in Use ² (hours/day)	Emission Factors (g/bhp/hr) ⁴							Emission (tons/year)						
				CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5} ³	CO ₂	CO	VOC	NO _x	SO ₂	PM ₁₀	PM _{2.5} ³	CO ₂
Year 2024 Site Grading																	
4 Bulldozer	367	0.4	8	0.20	0.03	0.59	0.00	0.03	0.03	536.74	0.11	0.02	0.32	0.00	0.02	0.02	291.57
1 Motor Grader	148	0.41	8	0.11	0.02	0.38	0.00	0.03	0.03	536.78	0.01	0.00	0.02	0.00	0.00	0.00	30.13
2 Excavator	360	0.38	8	0.15	0.03	0.42	0.00	0.03	0.03	536.76	0.04	0.01	0.11	0.00	0.01	0.01	135.86
2 Scraper	423	0.48	8	0.21	0.03	0.60	0.00	0.03	0.03	536.74	0.08	0.01	0.23	0.00	0.01	0.01	201.63
4 Tractor/Loader/Backhoe	84	0.37	8	5.87	0.34	1.51	0.00	0.14	0.13	648.48	0.68	0.04	0.17	0.00	0.02	0.02	74.58
2 Water Truck	420	0.59	8	0.05	0.01	0.19	0.00	0.01	0.01	536.79	0.02	0.01	0.09	0.00	0.01	0.01	246.11
3 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	536.71	0.07	0.02	0.23	0.00	0.01	0.01	205.65
Employee Trips (miles) ⁴	47,250			1.52	0.12	0.16	0.00	0.02	0.01	163.35	0.08	0.01	0.01	0.00	0.00	0.00	8.51
Vendor Trips				0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Trips	31,276			0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.02	0.00	0.02	0.00	0.00	0.00	12.13
Fugitive Dust from other worksheet														3.87	0.39		
Total 2024 Site Grading Emissions				1.10	0.11	1.19	0.00	3.95	0.46	1206.17							
Year 2024 Construction																	
2 Concrete/Industrial Saw	81	0.59	8	0.63	0.06	1.51	0.00	0.10	0.10	595.98	0.15	0.02	0.37	0.00	0.02	0.02	145.55
2 Crane	238	0.43	8	0.10	0.03	0.42	0.00	0.02	0.02	530.96	0.05	0.01	0.22	0.00	0.01	0.01	277.68
6 Rough Terrain Forklift	86	0.59	8	9.29	0.40	1.29	0.00	0.06	0.06	626.24	7.23	0.31	1.00	0.00	0.05	0.05	487.13
2 Rubber Tire Loader	136	0.59	8	5.26	0.24	0.98	0.00	0.06	0.06	595.72	2.16	0.10	0.40	0.00	0.02	0.02	244.27
6 Tractors/Loader/Backhoe	87	0.21	8	5.87	0.34	1.51	0.00	0.14	0.13	648.48	1.65	0.10	0.42	0.00	0.04	0.04	181.63
2 Other Construction Equipment	234	0.59	8	0.18	0.04	0.60	0.00	0.04	0.04	536.71	0.13	0.03	0.42	0.00	0.03	0.02	378.65
Employee Trips (miles) ⁴	603,172			1.52	0.12	0.16	0.00	0.02	0.01	163.35	1.01	0.08	0.11	0.00	0.01	0.01	108.61
Vendor Trips	308937.2407			0.47	0.01	0.70	0.00	0.04	0.02	351.76	0.16	0.00	0.24	0.00	0.02	0.01	119.79
Paving⁵																	
2 Paver	135	0.59	8	0.15	0.02	0.51	0.00	0.04	0.04	536.76	0.00	0.00	0.01	0.00	0.00	0.00	15.07
2 Paving Equipment	131	0.59	8	0.24	0.05	0.87	0.00	0.06	0.06	536.70	0.01	0.00	0.02	0.00	0.00	0.00	14.62
2 Rollers	132	0.59	8	0.18	0.03	0.65	0.00	0.05	0.04	536.75	0.00	0.00	0.02	0.00	0.00	0.00	14.73
Asphalt Emissions																	
Employee Trips (miles) ⁴	3,000			1.52	0.12	0.16	0.00	0.02	0.01	163.35	0.01	0.00	0.00	0.00	0.00	0.00	0.54
Architectural Coating⁶																	
2 Air Compressor	37	0.48	8	5.32	0.27	1.62	0.00	0.05	0.05	613.49	0.03	0.00	0.01	0.00	0.00	0.00	3.84
2 Aerial Lift	46	0.31	8	2.51	0.66	3.75	0.00	0.39	0.37	694.06	0.01	0.00	0.02	0.00	0.00	0.00	3.49
Coating																	
Employee Trips (miles) ⁴	10399.52			1.52	0.12	0.16	0.0008	0.01935	0.00821	163.35	0.02	0.00	0.00	0.00	0.00	0.00	1.87
Total 2024 Construction Emissions				13.72	3.05	4.46	0.01	0.29	0.26	3203.62							

Source: EPA 2023

¹ Construction equipment list adapted from CalEEMod Users Guide

² EPA Report No. NR-005d Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling. 2010

³ Hours per normal work day.

⁴ Based on 20 mile trip length. Emissions from MOVES4.

⁵ Emission factors provided by EPA MOVES 4 NONROAD

⁶ Based on 150 grams per liter VOC emission factor and

324985 sqft of total area of building space to be constructed.

Assumptions	Construction Timeline:	18 Months	5 days/week	To calculate, go to:	http://www.timeanddate.com/date/weekdayadd.html?d1=12&m1=9&y1=2013&type=add&ad=50
	2024 Workdays:	Assumes that grading commences 1/1/2024			
		1/1/2024	5/30/2024		
				105 days	
	2024 Workdays:	Assumes 12 months to complete construction after grading is completed.			
		5/31/2024	8/1/2025		
				290 days	

	Grading	Build	Pave	Coating	Hauling	Vendor
Days	105	290	20	20		290
Trips	22.5	104.0	7.5	26.0	1563.8	53.3
Employee Total VMT	47,250	603,172	3,000	10,400	31,276	308,937

Table 4 - Alternatives A B and C Fugitive Dust Emissions

Table 4			
Fugitive Dust Emissions from Construction			
	Alternative A	Alternative B	Alternative C
Construction area, acres ¹	56.57	42.11	42.11
Construction duration, months	18	18	18
General construction emission factor, tons PM ₁₀ /acre-month	0.011	0.011	0.011
Level 2 ¹ : On-site cut/fill (yd ³)	0	0	0
Onsite cut/fill emissions factor (tons/1000 yd ³)	0.059	0.059	0.059
Off-site-cut/fill (yd ³)	40502	59328	25021
Offsite cut/fill emissions factor (tons/1000 yd ³)	0.22	0.22	0.22
Unmitigated PM₁₀ Emissions, tons/year	25.71	25.56	18.01
Unmitigated PM_{2.5} Emissions, tons/year²	2.57	2.56	1.80
BMP: Water unpaved surfaces, control efficiency, % ²	50%	50%	50%
BMP: Limit on-site vehicle speed to 15 mph, control efficiency, % ²	57%	57%	57%
With BMPs PM₁₀ Emissions, tons/year	5.53	5.50	3.87
With BMPs PM_{2.5} Emissions, tons/year²	0.55	0.55	0.39

Source: Western Regional Air Partnership Fugitive Dust Handbook (WRAP), 2006.

¹ Construction area from project description

² PM_{2.5}/PM₁₀ ratio for fugitive dust from construction and demolition activities is 0.1, based on Western Regional Air Partnership's (WRAP's) Fugitive Dust Handbook.

Tables 1 - Alternatives A B and C Vehicle Miles Traveled

Table 1
Alternatives A through C - Percent Distribution, Patrons, and Vehicle Miles Travels per Year

Routes ¹	Market Areas	Trip Distribution ¹	Average Distance (miles)	Alternative A		Alternative B		Alternative C	
				Vehicle Trips per Year ¹	Vehicle Miles Traveled per Year	Vehicle Trips per Year ¹	Vehicle Miles Traveled per Year	Vehicle Trips per Year ¹	Vehicle Miles Traveled per Year
From I-41 North		0.35	40	1,828,103	73,124,100	755,641	30,225,650	230,589	80,706
From I-41 South		0.25	40	1,305,788	52,231,500	539,744	21,589,750	164,706	41,177
From STH 158 East		0.10	15	522,315	7,834,725	215,898	3,238,463	65,883	6,588
From West Frontage Road South		0.10	15	522,315	7,834,725	215,898	3,238,463	65,883	6,588
From 60th Street West		0.05	20	261,158	5,223,150	107,949	2,158,975	32,941	1,647
From 60th Street East		0.05	20	261,158	5,223,150	107,949	2,158,975	32,941	1,647
From 71th Street West		0.05	20	261,158	5,223,150	107,949	2,158,975	32,941	1,647
From 71th Street East		0.05	20	261,158	5,223,150	107,949	2,158,975	32,941	1,647
Totals¹:		1.00	--	5,223,150	161,917,650	2,158,975	66,928,225	658,825	141,647

¹ Totals from Traffic Impact Study (MSA 2024)
Number of average daily vehicle trips for Alternative A, B, and C multiplied by 365.
Source: Montrose 2024

Table 2a
2025 Mobile Operations Criteria Pollutant and GHG Emissions

Pollutant	Emission Factor, g/mi	Alternative A	Alternative B	Alternative C
Vehicle miles traveled per year		161,917,650	66,928,225	141,647
Criteria Pollutant Emissions (tpy)				
VOC	0.18	31.42	12.99	0.03
NOx	0.20	35.27	14.58	0.03
CO	1.66	295.86	122.29	0.26
SO ₂	0.00	0.20	0.08	0.00
PM ₁₀	0.04	7.35	3.04	0.01
PM _{2.5}	0.01	1.82	0.75	0.00
Greenhouse Gas (tpy)				
CO ₂ e	237.26	42,346.66	17,503.88	37.05

EPA MOVES 4

Table 7a
Alternative A

Pollutant/GHG	MMscf/year	Emission Factors (lb/MMscf)	Conversion factor (lb/tons)	NG Emissions (tons)	Generator Emissions	Total Emissions
VOC	22.97	5.50	0.0005	0.06	0.02	0.08
NOx	22.97	0.64	0.0005	0.01	0.40	0.41
CO	22.97	11.00	0.0005	0.13	0.23	0.36
SO2	22.97	0.60	0.0005	0.01	0.08	0.09
PM10	22.97	5.70	0.0005	0.07	0.01	0.08
PM2.5	22.97	1.90	0.0005	0.02	0.01	0.04
Greenhouse Gas			lb/MT	MT	MT	MT
CO2	22.97	120,000	0.00045	1,241	46.24	1,286.83

Stationary Sources include boilers, stoves, heating units, and other equipment.
Source: EPA, AP 42, 1997; Montrose 2024.

Assumptions

Casino Natural Gas Use

Casino 136.4 kBtu/ft² per year
Alternative A Casino Square Footage 95,003 square feet
Total Casino Energy Use = Rate x SF = 12,958,409 kbtu/yr or 12,958 MMBtu/yr
Total Energy= 12,958 MMBtu/yr * 1 MMscf/1,028 MMBtu = **12.6 MMscf/yr** (uses default EPA High Heat Value for Natural Gas)

Hotel Natural Gas Use

Hotel 85.7 kBtu/ft² per year
Alternative A/B Hotel Square Footage 188,734 square feet
Total Hotel Energy Use = Rate x SF = 16,174,504 kbtu/yr or 16,175 MMBtu/yr
Total Energy= 16,175 MMBtu/yr * 1 MMscf/1,028 MMBtu = **15.7 MMscf/yr** (uses default EPA High Heat Value for Natural Gas)

Restaurant Natural Gas Use

Restaurant 263.3 kBtu/ft² per year
Alternative A Restaurant Square Footage 28,888 square feet
Total Casino Energy Use = Rate x SF = 7,606,210 kbtu/yr or 7,606 MMBtu/yr
Total Energy= 7,606 MMBtu/yr * 1 MMscf/1,028 MMBtu = **7.4 MMscf/yr** (uses default EPA High Heat Value for Natural Gas)

Convention Center Natural Gas Use

Convention 81.1 kBtu/ft² per year (restaurants)
Alternative C Convention Square Footage 32,340 square feet
Total Casino Energy Use = Rate x SF = 2,622,774 kbtu/yr or 2,623 MMBtu/yr
Total Energy= 2,623 MMBtu/yr * 1 MMscf/1,028 MMBtu = **2.6 MMscf/yr**

Natural gas use accounted the following percent of the total energy use= **0.6 %**

Therefore, natural gas use would be approximately= **22.97 MMscf/yr**

From EIA CBECS 2018 Table E2

Table 7b
Alternative B

Pollutant/GHG	MMscf/year	Emission Factors (lb/MMscf)	Conversion factor (lb/tons)	NG Emissions (tons)	Generator Emissions	Total Emissions
VOC	16.10	5.50	0.0005	0.04	0.02	0.07
NOx	16.10	0.64	0.0005	0.01	0.40	0.41
CO	16.10	11.00	0.0005	0.09	0.23	0.32
SO2	16.10	0.60	0.0005	0.00	0.08	0.09
PM10	16.10	5.70	0.0005	0.05	0.01	0.06
PM2.5	16.10	1.90	0.0005	0.02	0.01	0.03
Greenhouse Gas			lb/MT	MT	MT	MT
CO2	16.10	120,000	0.00045	869	46.24	915.73

Stationary Sources include boilers, stoves, heating units, and other equipment.
Source: EPA, AP 42, 1997; Montrose 2024.

Assumptions

Casino Natural Gas Use

Casino 136.4 kBtu/ft² per year (restaurants)
Alternative B Casino Square Footage 47,501 square feet
Total Casino Energy Use = Rate x SF = 6,479,136 kbtu/yr or 6,479 MMBtu/yr
Total Energy= 6,479 MMBtu/yr * 1 MMscf/1,028 MMBtu = **6.3 MMscf/yr** (uses default EPA High Heat Value for Natural Gas)
In the study, natural gas use accounted for 60 percent of the total energy use.

Hotel Natural Gas Use

Hotel 85.7 kBtu/ft² per year
Alternative A/B Hotel Square Footage 188,734 square feet
Total Hotel Energy Use = Rate x SF = 16,174,504 kbtu/yr or 16,175 MMBtu/yr
Total Energy= 16,175 MMBtu/yr * 1 MMscf/1,028 MMBtu = **15.7 MMscf/yr** (uses default EPA High Heat Value for Natural Gas)

Restaurant Natural Gas Use

Restaurant 263.3 kBtu/ft² per year
Alternative A Restaurant Square Footage 18,738 square feet
Total Casino Energy Use = Rate x SF = 4,933,715 kbtu/yr or 4,934 MMBtu/yr
Total Energy= 4,934 MMBtu/yr * 1 MMscf/1,028 MMBtu = **4.8 MMscf/yr**

Natural gas use accounted the following percent of the total energy use= **0.6 %**

Therefore, natural gas use would be approximately= **16.10 MMscf/yr**

Table 7c
Alternative C

Pollutant/GHG	MMscf/year	Emission Factors (lb/MMscf)	Conversion factor (lb/tons)	NG Emissions (tons)	Generator Emissions	Total Emissions
VOC	16.97	5.50	0.0005	0.05	0.02	0.07
NOx	16.97	0.64	0.0005	0.01	0.40	0.41
CO	16.97	11.00	0.0005	0.09	0.23	0.32
SO2	16.97	0.60	0.0005	0.01	0.08	0.09
PM10	16.97	5.70	0.0005	0.05	0.01	0.06
PM2.5	16.97	1.90	0.0005	0.02	0.01	0.03
Greenhouse Gas			lb/MT	MT	MT	MT
CO2	16.97	120,000	0.00045	916	46.24	962.58

Stationary Sources include boilers, stoves, heating units, and other equipment.

Source: EPA, AP 42, 1997; Montrose 2024.

Assumptions

Convention Center Natural Gas Use

Convention 81.1 kBtu/ft² per year (restaurants)

Alternative C Convention Square Footage 126,101 square feet

Total Casino Energy Use = Rate x SF = 10,226,791 kbtu/yr or

10,227 MMBtu/yr

Total Energy= 10,227 MMBtu/yr * 1 MMscf/1,028 MMBtu =

9.9 MMscf/yr (uses default EPA High Heat Value for Natural Gas)

In the study, natural gas use accounted for 60 percent of the total energy use.

Hotel Natural Gas Use

Hotel 85.7 kBtu/ft² per year

Alternative A/B Hotel Square Footage 188,734 square feet

Total Hotel Energy Use = Rate x SF = 16,174,504 kbtu/yr or

16,175 MMBtu/yr

Total Energy= 16,175 MMBtu/yr * 1 MMscf/1,028 MMBtu =

15.7 MMscf/yr (uses default EPA High Heat Value for Natural Gas)

Restaurant Natural Gas Use

Restaurant 263.3 kBtu/ft² per year

Alternative A Restaurant Square Footage 10,150 square feet

Total Casino Energy Use = Rate x SF = 2,672,495 kbtu/yr or

2,672 MMBtu/yr

Total Energy= 2,672 MMBtu/yr * 1 MMscf/1,028 MMBtu =

2.6 MMscf/yr (uses default EPA High Heat Value for Natural Gas)

Natural gas use accounted the following percent of the total energy use= **0.6 %**

Therefore, natural gas use would be approximately= **16.97 MMscf/yr**

Emergency Generators	Alternative A
Quantity of engines	1
Fuel	Diesel
kW	2000
Duration of use per year, hrs	30
EPA Tier	2

Pollutant	Emission		
	Factor, g/kW-hr	Emissions Rate, lb/hr	Emissions, tpy
NMHC (ROG)	0.32	1.41	0.02
NOX	6.08	26.81	0.40
PM10	0.2	0.88	0.01
PM2.5	0.2	0.88	0.01
CO	3.5	15.43	0.23
CO2	699.2	3082.94	46.24
SOX	1.25	5.50	0.08

Note: Emission factors for NMHC+NOX, PM, and CO based on EPA Tier 2
Emission factor for NMHC+NOX (6.4 g/kW-hr) split 5% NMHC and 95% NOX,
Emergency generators assumed to run a total of 30 hours per year.

Sources: Butera et al, 2016. KOHLER Power Systems 2012. USEPA 1995. USEPA 2016.

Emergency Generators	Alternative B
Quantity of engines	1
Fuel	Diesel
kW	2000
Duration of use per year, hrs	30
EPA Tier	2

Pollutant	Emission		
	Factor, g/kW-hr	Emissions Rate, lb/hr	Emissions, tpy
NMHC (ROG)	0.32	1.41	0.02
NOX	6.08	26.81	0.40
PM10	0.2	0.88	0.01
PM2.5	0.2	0.88	0.01
CO	3.5	15.43	0.23
CO2	699.2	3082.94	46.24
SOX	1.25	5.50	0.08

Note: Emission factors for NMHC+NOX, PM, and CO based on EPA Tier 2
Emission factor for NMHC+NOX (6.4 g/kW-hr) split 5% NMHC and 95% NOX,
Emergency generators assumed to run a total of 30 hours per year.

Sources: Butera et al, 2016. KOHLER Power Systems 2012. USEPA 1995. USEPA 2016.

Emergency Generators	Alternative C
Quantity of engines	1
Fuel	Diesel
kW	2000
Duration of use per year, hrs	30
EPA Tier	2

Pollutant	Emission		
	Factor, g/kW-hr	Emissions Rate, lb/hr	Emissions, tpy
NMHC (ROG)	0.32	1.41	0.02
NOX	6.08	26.81	0.40
PM10	0.2	0.88	0.01
PM2.5	0.2	0.88	0.01
CO	3.5	15.43	0.23
CO2	699.2	3082.94	46.24
SOX	1.25	5.50	0.08

Note: Emission factors for NMHC+NOX, PM, and CO based on EPA Tier 2
Emission factor for NMHC+NOX (6.4 g/kW-hr) split 5% NMHC and 95% NOX,
Emergency generators assumed to run a total of 30 hours per year.

Sources: Butera et al, 2016. KOHLER Power Systems 2012. USEPA 1995. USEPA 2016.

Allowable Emissions (Tribal New Source review)	
Quantity of engines	1
Fuel	0
kW	2000
Duration of use per year, hrs	30
EPA Tier	0

Pollutant	Emission		
	Factor, g/kW-hr	Emissions Rate, lb/hr	Emissions, tpy
NMHC (ROG)	0.32	1.41	0.02
NOX	6.08	26.81	0.40
PM10	0.2	0.88	0.01
PM2.5	0.2	0.88	0.01
CO	3.5	15.43	0.23
CO2	699.2	3082.94	46.24
SOX	1.25	5.50	0.08

Note: Emission factors for NMHC+NOX, PM, and CO based on EPA Tier 2
Emission factor for NMHC+NOX (6.4 g/kW-hr) split 5% NMHC and 95% NOX,
Emergency generators assumed to run a total of 30 hours per year.

Sources: Butera et al, 2016. KOHLER Power Systems 2012. USEPA 1995. USEPA 2016.

Alternative A

	Emission Factors			Use	Emissions (MT of CO ₂ e)
	CO ₂	CH ₄	N ₂ O		
	lbs of/MWh			MWh ¹ per Year	
Electricity ²	1000.053	0.087	0.012	4,618	2,105.94
	MT of CO ₂ /MT of Solid Waste			MT per Year	
Solidwaste ²	0.52			168	87.26
Water/Wastewater ³	Indoors		Outdoor		
	MWh/million Gallons				Million Gallons per Year
	0.57	0.63 %	0.33	0.37 %	83.42

WA egrid

Total Emissions from Electricity, Solidwaste, and Water/Wastewater **2,211.50** MT CO₂e/year

¹ Assumes electricity is 40% of total energy use calculated for operational stationary source:

²From EPA's GHG emission Factors Hub 2023 <https://www.epa.gov/climateleadership/ghg-emission-factors-hub>
eGRID Wisconsin

Alternative B

	Emission Factors			Use	Emissions (MT of CO ₂ e)
	CO ₂	CH ₄	N ₂ O		
	lbs of/MWh			MWh ¹ per Year	
Electricity ¹	1000.053	0.087	0.012	3,237	1,475.98
	MT of CO ₂ /MT of Solid Waste			MT per Year	
Solidwaste ¹	0.52			115	59.90
Water/Wastewater ²	Indoors		Outdoor		
	MWh/million Gallons				Million Gallons per Year
	0.57	0.63 %	0.33	0.37 %	54.24

Total Emissions from Electricity, Solidwaste, and Water/Wastewater **1,547.78** MT CO₂e/year

¹ Assumes electricity is 40% of total energy use calculated for operational stationary source:

²From EPA's GHG emission Factors Hub 2023 <https://www.epa.gov/climateleadership/ghg-emission-factors-hub>
eGRID Wisconsin

Alternative C

	Emission Factors			Use	Emissions (MT of CO ₂ e)
	CO ₂	CH ₄	N ₂ O		
	lbs of/MWh			MWh ¹ per Year	
Electricity ¹	1000.053	0.087	0.012	3,411	1,555.51
	MT of CO ₂ /MT of Solid Waste			MT per Year	
Solidwaste ¹	0.52			68	35.12
Water/Wastewater ²	Indoors		Outdoor		
	MWh/million Gallons				Million Gallons per Year
	0.57	0.63 %	0.33	0.37 %	63.32

Total Emissions from Electricity, Solidwaste, and Water/Wastewater **1,604.52**

¹ Assumes electricity is 40% of total energy use calculated for operational stationary source:

²From EPA's GHG emission Factors Hub 2023 <https://www.epa.gov/climateleadership/ghg-emission-factors-hub>
eGRID Wisconsin

Solid Waste	Daily Waste Production Rate	Alt A		Alt B		Alt C	
		Waste	Indi Daily Waste (lb)				
Casino	5 lb/1000 sqft/day	95003	475.015	47501	237.505	0	0
Restaurant	0.005 lb/sqft/day	28888	144.44	18738	93.69	10150	50.75
Hotel	2 lb/room/day	150	300	150	300	150	300
Arena	0.15 lb/1000 sqft/day					126101	19.347
		lb/day	919.455		631.195		370.097
		tons/yr	167.8005		115.1930875		67.5427

0.4812